

David I. Auerbach
Peter I. Buerhaus
Douglas O. Staiger

Do Associate Degree Registered Nurses Fare Differently in the Nurse Labor Market Compared to Baccalaureate-Prepared RNs?

EXECUTIVE SUMMARY

- ▶ Roughly 40% of the nearly 3 million registered nurses (RNs) in the United States have an associate's degree (ADN) as their highest level of nursing education.
- ▶ Yet even before the recent Institute of Medicine report on *The Future of Nursing*, employers of RNs have increasingly preferred baccalaureate-prepared RNs (BSNs), at least anecdotally.
- ▶ Data from the American Community Survey (2003-2013) were analyzed with respect to employment setting, earnings, and employment outcomes of ADN and BSN-prepared RNs.
- ▶ The data reveal a divergence in employment setting: the percentage of ADN-prepared RNs employed in hospitals dropped from 65% to 60% while the percentage of BSN-prepared RNs employed in hospitals grew from 67% to 72% over this period.
- ▶ Many ADNs who would have otherwise been employed in hospitals seem to have shifted to long-term care settings.

UNLIKE MOST OTHER countries, there have long been multiple routes toward becoming a registered nurse (RN) in the United States. For decades, RNs have been prepared via three main pathways; a 2-year associate's degree program, a 3-year hospital-based diploma program, and a 4-year baccalaureate program leading to a bachelor's degree in nursing (BSN). Diploma programs have all but disappeared, leaving roughly equal numbers of RNs obtaining their initial preparation toward becoming an RN via the associate's degree programs (ADN) or the BSN. According to the National Sample Survey of Registered Nurses (n.d.), of RNs completing their initial RN education between 2005 and 2008, approximately 3% were prepared via a diploma program, 57%

via an ADN, and 40% via a BSN.

Not apparent in those figures, however, is a recent apparent shift in basic entry nursing education away from the ADN and toward the BSN (Buerhaus, Auerbach, & Staiger, 2014). Beginning roughly a decade ago, the American Nurses Credentialing Center (2013) began designating hospitals as Magnet[®] institutions based on certain quality and other benchmarks, one of which is that by January 2011, 75% of nurse managers must have at least a BSN. Then, building on a series of research studies over the last decade beginning with Aiken, Clarke, Cheung, Sloane, and Silber (2003) who indicated the risk of inpatient mortality is lowered in hospitals employing a greater share of BSN-prepared RNs, the Institute of Medicine (2010) recommended

.....
DAVID I. AUERBACH, PhD, is Full Policy Researcher, RAND Corporation; Affiliate Faculty, Pardee RAND Graduate School; and Adjunct Faculty, Center for Interdisciplinary Health Workforce Studies, Vanderbilt University Medical Center, Nashville, TN.

PETER I. BUERHAUS, PhD, RN, FAAN, is Valere Potter Professor of Nursing; and Director, Center for Interdisciplinary Health Workforce Studies, Department of Health Policy, Institute for Medicine and Public Health, Vanderbilt University Medical Center, Nashville, TN.

DOUGLAS O. STAIGER, PhD, is John French Professor of Economics, Department of Economics, Dartmouth College, Hanover, NH; and Research Associate, National Bureau of Economic Research, Cambridge, MA.

80% of RNs be prepared at the BSN level by 2020. States and institutions appear to have taken up the call; by 2014, 80% of California hospitals require new RN staff to have a BSN (Bates, Chu, Keane, & Spetz, 2014).

These forces may be having important implications for the nursing workforce. Kovner, Brewer, Fatehi, and Katigbak (2014) recently comparing a cohort of roughly 1,000 newly licensed nurse graduates (2010-2011) and found 82% of new BSN graduates were employed in hospitals within 18 months of graduation compared to 67% of ADN graduates. In contrast, in an earlier similar cohort graduating in 2004-2005, 83% of new ADN graduates found hospital jobs in the same time frame after graduation. Kovner and colleagues (2014) cited "anecdotal reports that hospitals are preferentially hiring RNs with a BSN and that if they do hire associate's degree graduates, they are requiring those nurses to get a BSN within a specified period" (p. 32). In fact, in 2010, while there were roughly 80,000 ADNs and 50,000 BSN nursing degrees awarded among newly licensed RNs, another 22,000 RNs completed RN-to-BSN programs, converting their ADN preparation to a BSN (Bates & Spetz, 2012).

With the exception of the study by Kovner and associates (2014), however, it is unclear if this apparent preference for BSN-prepared RNs has markedly changed the labor market outlook for a RN who has completed an ADN. These programs have proliferated (along with BSN programs) in the largest expansion of undergraduate nursing education in recent history (Auerbach, Buerhaus, & Staiger, 2013). If this preference for BSN-prepared RNs is truly widespread and universally accepted, one might expect ADNs to be shifting to other employment settings and/or receiving lower wages. In this article, recent employment and earnings data

from the American Community Survey is examined to determine whether any of these expected changes are occurring in the nurse labor market.

Data and Methods

Data. The primary data used in the analysis are from the American Community Survey (ACS) (King et al., 2010). The ACS, which began reporting data in 2001, is modeled after the long form of the decennial census (U.S. Department of Labor, 2014) and obtained responses from approximately 12,000 RNs each year from 2001 to 2004 and roughly 30,000 RNs per year thereafter (after the sampling frame was expanded). The ACS identifies RNs by allowing respondents to select their occupation and obtains additional data on respondents' age, educational level, income, industry sector, and other demographic information and has been used extensively by our team to analyze the nursing workforce (Auerbach, Buerhaus, & Staiger, 2011).

Data on RNs between the ages of 21 and 64 were used in this analysis for the years 2003-2013; RNs reporting working fewer than 30 hours in a typical week were recorded as 0.5 full-time equivalents (FTE). RNs reporting a master's level of education or higher were excluded to focus specifically on RNs working as an RN (rather than as a nurse practitioner, for example, which requires a BSN typically followed by an advanced degree). Although the ACS data were first collected in 2001, this analysis begins with 2003 because of a change in the education questions between 2002 and 2003. The final sample included 217,815 RNs across all years.

Identifying nursing education. To our knowledge, the ACS has not been used to distinguish ADNs from BSNs in peer-reviewed research. ACS respondents report whether their highest level of education completed is an

associate degree, a 4-year college degree, or one of various types of higher degrees such as master's or doctorate. As a simplification, we classified all RNs reporting a bachelor's degree as a BSN-prepared RN and RNs with less-reported education as ADN-prepared RNs (RN with at least a master's degree were removed from the sample). The reported degrees in the ACS are not nursing-specific, although respondents could indicate a field for baccalaureate degrees starting in 2009. (This information was not used for purposes of consistency with the time period before 2009.) Thus, RNs prepared with diploma degrees (of which there are very few in recent years) would likely be unsure how to classify their education in the ACS. More importantly, RNs with bachelor's degrees in non-nursing fields but no higher than an ADN in nursing would likely select a bachelor's degree as their highest degree and we would be unsure whether they were a BSN or ADN-prepared RN.

To validate the ACS-based assignments, data from the National Sample Survey of Registered Nurses (NSSRN) from 2008 were analyzed and compared to the reported education of RNs to the educational categorization of RNs from the ACS in that same year. The NSSRN, discontinued in 2008, asked RNs directly about their initial and any subsequent nursing degrees as well as other non-nursing degrees. In 2008 NSSRN data, just 5% of respondents had a non-nursing baccalaureate degree but also a highest nursing preparation of an associate's degree. (Another 8% of RNs had baccalaureate degrees *both* in nursing and in a non-nursing field, but these individuals would be correctly classified in the ACS as BSN-prepared RNs). Overall, after excluding all RNs with a master's degree or higher, our assignments in the ACS yielded 41.3% of RNs with an ADN as their highest nursing degree and

58.7% with a BSN. This is similar to the comparable figures of 43.8% and 56.2%, respectively, in the NSSRN. Other characteristics of ADN-prepared RNs and BSN-prepared RNs were compared between both surveys – patterns were identical. In both surveys, the BSN-prepared RNs were more likely to be male, non-White, unmarried, higher household income and nursing income, foreign educated, and working in hospitals (data available upon request).


Other labor force measures. Labor market outcomes were recorded from direct questions asked in the ACS survey. Unemployed RNs were defined using variables constructed within the ACS based on detailed questions concerning the respondent's employment status (looking for but unable to find employment). Respondents were asked to report their income from wages and salaries in the previous 12 months; this dollar amount was used as an estimate of earnings from nursing employment. Earnings figures were reported only for RNs who work full time, as defined by those reporting working more than 30 hours per week. Finally, all ACS respondents were asked to identify their industry setting from a list that we consolidated into hospitals, offices of physicians and other health professionals, nursing homes and other long-term care settings, other health care settings, and settings unrelated to health care.

To make estimates representative of the U.S. noninstitutionalized population, observations were weighted by sampling weights provided by the ACS. In several instances, statistical significance of differences between ADN and BSN RNs are reported. These tests were conducted using two-tailed tests, with 0.05 as the level governing statistical significance.

Results

Differences between ADN-prepared RNs and BSN-prepared

Figure 1.
Unemployment Rate of RNs, by Ultimate Degree Type, 2003-2012



RNs. Differences in the rate of unemployment among both types of RNs are shown in Figure 1. Though historically quite low, the unemployment rate has diverged between RNs prepared with a BSN and those with an ADN in recent years.

While fluctuating between 1% and 1.5% from 2003 to 2009 for both ADNs and BSNs, the unemployment rate for two groups then began to differ significantly, growing to 1.9% among ADNs in 2013 compared to 1.2% among BSNs in that year ($p < 0.01$). With roughly one million RNs in each group in recent years (excluding RNs with master's degrees or higher), an unemployment rate of 2% represents roughly 20,000 RNs.

The trends in FTE employment suggest a fairly dramatic divergence in hospital employment by type of basic nursing education (see Figure 2 and Table 1). In 2003, a similar percentage of RNs with each degree type worked in hospitals. A few years later, a gap in hospital employment had started to materialize, and, by 2013, more than 10 percentage points separated the two groups, with 72% of BSN graduates employed in hospitals compared to

61% of RNs whose highest degree was an ADN. These data are consistent with a growing preference for BSN-prepared RNs on the part of hospitals.

A further breakdown of trends in work settings of ADN and BSN-prepared RNs outside of the hospital is shown in Table 1. The data provide insights into alternative settings that appear to have drawn the ADNs who might have otherwise been employed in hospitals. It appears roughly 10% of ADN-prepared RNs have shifted from hospitals to long-term care settings over this period. For example, in 2003, 13% of ADNs were employed in long-term care settings – a percentage that grew to 18% by 2013. In contrast, the proportion of BSN-prepared RNs working in long-term care settings remained at roughly 10% throughout the period. The percentage of ADN-prepared RNs employed in offices of physicians and other professionals hovered around 10% throughout the period whereas the percentage of BSN-prepared RNs employed these settings decreased from 9.1% in 2003 to 7.7% in 2013.

Finally, trends in overall earnings and earnings among hospital-employed RNs over the same time

Figure 2.
Percent of Full-Time Equivalent RNs Employed in Hospitals
By Ultimate Degree Type, 2003-2013




Table 1.
Nonhospital Employment Settings of Registered Nurses,
2003-2013

	Associate-Degree RN			Baccalaureate-Degree RN		
	Office-Based/ Ambulatory	Long- Term Care	Other	Office-Based/ Ambulatory	Long- Term Care	Other
2003	11.0%	13.0%	11.1%	9.1%	10.3%	13.8%
2004	10.0%	15.2%	10.9%	9.0%	9.6%	13.5%
2005	10.4%	14.1%	10.7%	8.2%	9.9%	13.1%
2006	10.4%	14.4%	11.7%	8.2%	9.9%	13.7%
2007	9.6%	14.2%	12.5%	7.7%	9.4%	13.8%
2008	9.6%	14.4%	13.3%	7.1%	8.8%	15.1%
2009	9.3%	15.0%	12.7%	7.7%	9.2%	13.8%
2010	9.8%	16.3%	12.4%	6.8%	9.8%	13.9%
2011	9.4%	16.2%	13.7%	7.4%	9.6%	13.3%
2012	10.4%	15.7%	13.5%	7.0%	9.9%	12.8%
2013	10.2%	18.0%	11.0%	7.7%	10.4%	10.4%

NOTE: “Office-Based/Ambulatory” includes offices of physicians and other health care professionals, and includes outpatient care centers. “Long-Term Care” includes nursing homes, home-health care, and other personal care settings.

period are shown in Figure 3. In contrast to the trends shown in Figures 1 and 2, the data shown in Figure 3 do not indicate a divergence over the 10-year time period. If anything, the wage gap between ADNs and BSNs, which has been

relatively constant over the last decade at roughly \$10,000 for RNs in hospital and other settings, has shrunk slightly in the last 2 years.

Labor market outcomes can be expected to differ for newly graduating RNs who are seeking their


first jobs compared to more experienced RNs. The sample of RNs was limited to those under 35 years of age to test for possible differences from the trends noted previously. Among younger ADN RNs, the rate of hospital employment dropped from 70% to 63% between 2010 and 2013. Unemployment rates for ADN-prepared RNs were double those of their BSN counterparts in 2013 (1.9% vs. 0.9%), but figures were more jumpy in earlier years. Similarly, as with all RNs, the earnings gap did not change significantly over time.

Discussion

In two of three labor market outcomes analyzed using data from the ACS, there was a divergence of the experience of ADN-prepared RNs compared to BSN-prepared RNs. ADNs are more likely to be unemployed (though unemployment rates are still extremely low) and increasingly less likely to work in hospitals than their BSN counterparts. These findings are consistent with hospitals’ expressing a preference for BSN graduates in recent years. On the other hand, although BSN earnings are greater than ADN earnings in every year of the sample, there does not appear to be a widening divergence in the earnings between BSN and ADN-prepared nurses.

As with any labor market evaluation, it is difficult to discern whether the observed differences in unemployment rates and hospital employment by level of nursing education reflect the RN’s education itself, or whether other characteristics of the RN who may obtain different degrees could also be related to these labor market outcomes. With regard to the latter possibility, it is unlikely in the short time frame of these observations (2003-2012) that characteristics of RNs who obtained an ADN or a BSN have changed substantially. Rather, the timing of the divergence in unemployment rates

Figure 3.
Overall and Hospital-Employed Earnings of Full-Time Equivalent RNs by Ultimate Degree Type, 2003-2013



NOTE: Earnings figures exclude those of RNs working fewer than 30 hours per week.

between ADN and BSN-prepared RNs, and to some extent, the increased employment of BSNs in hospitals found in this analysis, appears to have occurred several years before the 2010 Institute of Medicine (IOM) report *The Future of Nursing: Leading Change, Advancing Health* was released. In the middle part of the decade, hospitals were becoming aware of a growing body of evidence indicating the association of lower mortality and higher BSN-educated RNs. Moreover, in 2008 the Centers for Medicare & Medicaid Services and several states began to link hospital payment to performance on avoidable inpatient outcomes, some of which were sensitive to nurse staffing (Kurtzman & Buerhaus, 2008). Later, the IOM (2010) report was released. The IOM emphasized the need for a more highly educated nursing workforce, and its wide dissemination more than likely provided “tipping point” information that influenced employers’ decisions to prefer the more highly educated BSN.

Finally, it should be noted our estimates of RNs by level of educational preparation are imperfect. As noted previously, the educational categories in the American Community Survey are not designed specifically to identify nursing education. Also, individuals in the ACS are identified as nurses by their answers to the occupation questions. Yet, in both cases, findings from the ACS have been validated against data from the NSSRN and workforce and educational estimates are very similar.

Policy Implications

The IOM set a goal of 80% of newly graduating RNs having a BSN by 2020. This call has been echoed by others who have suggested a BSN-level preparation is needed for the increasing complexity of care (American Association of Colleges of Nursing, 2014). Supported by the Affordable Care Act, health care delivery organizations are placing increasing emphasis on quality metrics, care coordination, population health

management, and prevention and education. Accountable Care Organizations, expanding rapidly in the last several years, have strong financial incentives to manage care of their enrollees. These organizations seek to reduce total costs and improve quality by requiring health care professions to eliminate care duplication, coordinate and manage care received at home and among fragmented providers, and reduce hospitalization.

Our results indicate, as did Kovner and colleagues (2014), ADN-prepared RNs appear to be experiencing diverging labor market outcomes from BSN-prepared RNs. Yet, at the same time, there has been a rapid increase in ADN educational programs over the last 10 years (Buerhaus et al., 2014). This growth may be helping to fill what would otherwise be a potential new nursing shortage as the baby boomer RNs begin to exit the workforce? Even if ADN-prepared RNs are not always finding the hospital positions some of them expect upon entering nursing school, the widespread availability of RN-to-BSN programs provides a relatively easy step for conversion to a BSN. Ultimately, it is unclear whether ADNs are shifting away from hospital settings out of necessity because hospital jobs are unavailable, or if their skill set is better suited for less-acute nonhospital patients.

Thus, the increasing percentage of ADN-prepared RNs employed in nonhospital settings, just as demand for RNs in these settings appears to be increasing, is a finding that requires close monitoring (Spetz, 2014). Most studies of care outcomes differences between ADNs and BSNs have focused on hospital care; there is no evidence to suggest any quality differences in nonhospital settings. ADN programs may find it in their interest to specialize in, and focus on, the kinds of skills increasingly critical

continued on page 35

Evaluation Form

NEC J1501

1.3 Contact Hours — Expires: February 28, 2017

Do Associate Degree Registered Nurses Fare Differently in the Nurse Labor Market Compared to Baccalaureate-Prepared RNs?

Complete the Following (please print)

Name: _____

Address: _____

City: _____

Telephone: _____ Email: _____

Payment: Check Enclosed American Express Visa MasterCard

Total Amount Submitted: _____

Credit Card Number: _____ Exp. Date: _____

Name as it Appears on the Card: _____

Note: If you wish to keep the journal intact, you may photocopy the answer sheet or access this activity at www.nursingconomics.net

SUBMISSION INSTRUCTIONS

Mail/Fax Submission

Subscriber Price: \$10

Regular Price: \$15

- To receive continuing nursing education credit for individual study after reading the article, complete the evaluation form.
- Photocopy and send the evaluation form along with a check or credit card order payable to Anthony J. Jannetti, Inc. to *Nursing Economic\$, CNE Series*, East Holly Avenue/Box 56, Pitman, NJ 08071-0056.
- Upon completion of the evaluation form, a certificate for **1.3** contact hour(s) will be awarded and sent to you.
- The purpose of this activity is to enable the learner to understand the forces affecting the educational preparation of the nursing workforce and the policy implication of the findings.

Online Submission

Subscriber Price: \$10

Regular Price: \$15

Online submissions of this CNE evaluation form are available at www.nursingconomics.net under the Continuing Nursing Education tab.

Evaluation Form

(All questions must be answered to complete the learning activity. Type answers to all open-ended questions on a separate page.)

- I verify I have completed this activity. Yes No _____ **SIGNATURE**
 - What do you plan to change in your practice as a result of completing this educational activity?
 - What information, from this activity, do you plan to share with a professional colleague?
 - What did you value most about this educational activity?
- | | Strongly Disagree | | | | Strongly Agree |
|--|--------------------------|---|---|---|-----------------------|
| 5. I was able to meet the objectives of this educational activity: | | | | | |
| a. Describe forces affecting the educational preparation of the nursing workforce. | 1 | 2 | 3 | 4 | 5 |
| b. Discuss an analysis of whether ADN-prepared RNs have fared differently in the labor market over the last decade. | 1 | 2 | 3 | 4 | 5 |
| c. Outline the policy implications of these findings regarding the health care workforce. | 1 | 2 | 3 | 4 | 5 |
| 6. The content was current and relevant. | 1 | 2 | 3 | 4 | 5 |
| 7. The objectives could be achieved using the content provided. | 1 | 2 | 3 | 4 | 5 |
| 8. This was an effective method to learn this content. | 1 | 2 | 3 | 4 | 5 |
| 9. I am more confident in my abilities since completing this material. | 1 | 2 | 3 | 4 | 5 |
| 10. The material was (check one): <input type="checkbox"/> New <input type="checkbox"/> Review | | | | | |
| 11. This activity was free of commercial bias. (check one – if no please comment) <input type="checkbox"/> Yes <input type="checkbox"/> No | | | | | |

This independent study activity is provided by **Anthony J. Jannetti, Inc.** (AJJ).

Anthony J. Jannetti, Inc. is accredited as a provider of continuing nursing education by the American Nurses Credentialing Center's Commission on Accreditation.

Anthony J. Jannetti, Inc. is a provider approved by the California Board of Registered Nursing, Provider Number, CEP 5387.

Licenses in the state of California must retain this certificate for four years after the CNE activity is completed.

This article was reviewed and formatted for contact hour credit by Donna M. Nickitas, PhD, RN, NEA-BC, CNE, FAAN, *Nursing Economic\$* Editor; and Rosemarie Marmion, MSN, RN-BC, NE-BC, Anthony J. Jannetti, Inc., Education Director.

The authors, planning committee, and content reviewers reported no actual or potential conflict of interest in relation to this continuing nursing education activity with the exception of Dr. Buerhaus who disclosed grant/research support from the Gordon & Betty Moore Foundation.

Nurse Labor Market

continued from page 12

to enhanced ambulatory settings such as care coordination, communication, teamwork, population health, and education and prevention (Pittman, 2014). Ultimately, a robust, integrated, complex and efficient health care system requires a diverse nursing workforce and the schools that prepare nurses for this new world ought to anticipate these needs and graduate nurses with the skills and competencies required. \$

REFERENCES

- Aiken, L.H., Clarke, S.P., Cheung, R.B., Sloane, D.M., & Silber, J.H. (2003). Educational levels of hospital nurses and surgical patient mortality. *JAMA*, 290(12), 1617-1623.
- American Association of Colleges of Nursing. (2014). *Fact sheet: Creating a more highly qualified nursing workforce*. Washington, DC: Author.
- American Nurses Credentialing Center. (2013). *History of the Magnet program*. Retrieved from <http://www.nursecredentialing.org/Magnet/Program>
- amOverview/HistoryoftheMagnet Program
- Auerbach, D., Buerhaus, P., & Staiger, D. (2011). Registered nurse supply grows faster than projected amid surge in new entrants ages 23-26. *Health Affairs*, 30(12), 2286-2292.
- Auerbach, D., Buerhaus, P., & Staiger, D. (2013). The nursing workforce in an era of health care reform. *New England Journal of Medicine*, 368(16), 1470-1472.
- Bates, T., & Spetz, J. (2012). *Nursing education data sources: A user's guide*. Princeton NJ: Robert Wood Johnson Foundation.
- Bates, T., Chu, L., Keane, D., & Spetz, J. (2014). *Survey of nurse employers in California, fall 2013*. Retrieved from http://rnworkforce.ucsf.edu/sites/rnworkforce.ucsf.edu/files/CaliforniaEmployerSurvey2013_Report.pdf
- Buerhaus, P., Auerbach, D., & Staiger, D. (2014). The rapid growth of graduates from associate, baccalaureate, and graduate programs in nursing. *Nursing Economic\$, 32*(6), 290-295, 311.
- Health Resources and Services Administration. (n.d.) *National sample survey of registered nurses, HRSA data warehouse*. Retrieved from <http://datawarehouse.hrsa.gov/data/data/Download/nssrdownload.aspx>
- Institute of Medicine (IOM). (2010). *The future of nursing: Leading change, advancing health*. Washington, DC, National Academies Press.
- King, M., Ruggles, S., Alexander, T., Flood, S., Genadek, K., Schroeder, M.B., ... Vick, R. (2010). *Integrated public use microdata series, current population survey: Version 3.0*. [Machine-readable database]. Minneapolis, MN: University of Minnesota.
- Kovner, C.T., Brewer, C.S., Fatehi, F., & Katigbak, C. (2014). Changing trends in newly licensed RNs. *American Journal of Nursing*, 114(2), 26-34.
- Kurtzman, E., & Buerhaus, P. (2008). New Medicare payment rules: Danger or opportunity for nursing. *American Journal of Nursing*, 108(6), 30-35.
- Pittman, P. (2014, June). *Changing roles of RNs in ACOs*. Paper presented at AcademyHealth Annual Research Conference, San Diego, 2014. Retrieved from <http://www.academyhealth.org/files/2014/tuesday/pittman.pdf>
- Spetz, J. (2014). How will health reform affect demand for RNs? *Nursing Economic\$, 32*(1), 42.
- U.S. Department of Labor. (2014). *American Community Survey (ACS) questions and answers*. Washington, DC: Bureau of Labor Statistics. Retrieved from <http://www.bls.gov/lau/acsqa.htm>

Reproduced with permission of the copyright owner. Further reproduction prohibited without permission.

Registered Nurse. RNs lead teams of nurses to care for patients in clinics, hospitals, and nursing homes. They work the day or night shift to monitor and treat caseloads of patients, including infants, adults, and the elderly. In 16 states, RNs also prescribe medications. Salary \$73,300*. Job Outlook 7% growth from 2019-29. An associate degree in nursing and a bachelor's degree in nursing both prepare graduates to take the NCLEX-RN. However, due to the more extensive education and practice requirements involved in bachelor's programs, graduates with a BSN typically enjoy more responsibility and higher pay than ADN-holders. Less competitive in the job market. Does not provide the necessary training to pursue a speciality. Explore ADN Programs. Roughly 40% of the nearly 3 million registered nurses (RNs) in the United States have an associate's degree (ADN) as their highest level of nursing education. Yet even before the recent Institute of Medicine report on The Future of Nursing, employers of RNs have increasingly preferred baccalaureate-prepared RNs (BSNs), at least anecdotally. The data reveal a divergence in employment setting: the percentage of ADN-prepared RNs employed in hospitals dropped from 65% to 60% while the percentage of BSN-prepared RNs employed in hospitals grew from 67% to 72% over this period. Many ADNs who would have otherwise been employed in hospitals seem to have shifted to long-term care settings. Nursing degrees aren't one-size-fits-all. Join us as we break down the different levels of nursing degrees so you can identify which educational path aligns with your career aspirations. Registered nurses (RNs) tend to be the group most people associate with the term "nurse." They assume a wide variety of roles in patient care. For a better idea of how these nurses fit in the healthcare system, see this handy breakdown the American Nurses Association offers to highlight the four types of APRNs: nurse anesthetists, nurse midwives, certified nurse practitioners and clinical nurse specialists. There are a few other notable career paths MSN nurses could pursue outside of these APRN roles. One option is to become a nurse educator and help train the next generation of nurses. An Associate's Degree in Nursing is one of three ways to become a Registered Nurse. It offers you a wide range of career possibilities and work environments and the ability to work with patients from infants to the elderly and everything in between. Nurses who pursue an Associate's Degree in Nursing are not only able to achieve their goal more quickly, but generally are able to do so at a lower cost. The two-year programs that teach the ADN curriculum are often much less costly than a four-year degree and can more readily be pursued at local community colleges or through online programs. Add to that remarkable number the fact that another half million RNs will be needed to replace those who leave the field through attrition and retirement, and it is no wonder that ADN careers are so popular. Roughly 40% of the nearly 3 million registered nurses (RNs) in the United States have an associate's degree (ADN) as their highest level of | Find, read and cite all the research you need on ResearchGate. In a labor market where employers preferentially hire baccalaureate nurses, associate degree graduates are at a disadvantage (Auerbach, Buerhaus, & Staiger, 2015b). Many will return to school for additional education, a burden of both time and money to the individual nurse. A Comparison of Nursing Education and Workforce Planning Initiatives in the United States and England.