

# Another new *Cyrtodactylus* (squamata: Gekkonidae) from Phong Nha - Ke Bang National Park, central Truong Son, Vietnam

Heidrich A., Rosler H., Thanh V.N., Bohme W., Ziegler T.

Zoologisches Forschungsmuseum Alexander Koenig, Adenauerallee 160, D-53113 Bonn, Germany; AG Zoologischer Garten Köln, Riehler Straße 173, D-50735 Köln, Germany; Staatliche Naturhistorische Sammlungen Dresden, Museum für Tierkunde, Forschungsstelle, A.B.-Meyer-Bau, Königsbrücker Landstr. 159, D-01109 Dresden, Germany; Department of Vertebrate Zoology, Vietnam National University, Hanoi, University of Science, 334 Nguyen Trai Str., Thanh Xuan, Hanoi, Viet Nam

**Abstract:** A new species of *Cyrtodactylus* is described from the Truong Son (Annamite mountain range) of Quang Binh Province in central Vietnam. It is characterized by 3-5 transversal dorsal bands between the limb insertions, a neckband reaching the posterior margin of eye, 19-20 irregular longitudinal rows of dorsal tubercles, forelimbs with tubercles, 47-50 longitudinal rows of ventrals at midbody, 9-11 precloacal pores in an angular series in males and 16-27 enlarged precloacal scales in both sexes, 20-23 lamellae below the 4<sup>th</sup> toe, a segmented tail, and lacking of a distinct ventrolateral fold, a precloacal groove and femoral pores, as well as transversally enlarged subcaudal plates. The new species is known only from the karst forests of Phong Nha - Ke Bang National Park. Preliminary data on its natural history are provided. Copyright © 2007 Magnolia Press.

**Author Keywords:** Central Vietnam; *Cyrtodactylus cryptus* sp. n.; Morphology; Natural history; Sauria; Taxonomy

**Index Keywords:** *Cryptus*; *Cyrtodactylus*; Gekkonidae; Sauria; Squamata

Year: 2007

Source title: Zootaxa

Issue: 1445

Page : 35-48

Cited by: 22

Link: [Scopus Link](#)

Correspondence Address: Ziegler, T.; AG Zoologischer Garten Köln, Riehler Straße 173, D-50735 Köln, Germany; email: [tziegler@zoo-koeln.de](mailto:tziegler@zoo-koeln.de)

ISSN: 11755326

Language of Original Document: English

Abbreviated Source Title: Zootaxa

Document Type: Article

Source: Scopus

Authors with affiliations:

- Heidrich, A., Zoologisches Forschungsmuseum Alexander Koenig, Adenauerallee 160, D-53113 Bonn, Germany, AG Zoologischer Garten Köln, Riehler Straße 173, D-50735 Köln, Germany
- Rösler, H., Staatliche Naturhistorische Sammlungen Dresden, Museum für Tierkunde, Forschungsstelle, A.B.-Meyer-Bau,

Königsbrücker Landstr. 159, D-01109 Dresden, Germany

- Thanh, V.N., Department of Vertebrate Zoology, Vietnam National University, Hanoi, University of Science, 334 Nguyen Trai Str., Thanh Xuan, Hanoi, Viet Nam
- Böhme, W., Zoologisches Forschungsmuseum Alexander Koenig, Adenauerallee 160, D-53113 Bonn, Germany
- Ziegler, T., AG Zoologischer Garten Köln, Riehler Straße 173, D-50735 Köln, Germany

#### References:

- Bain, R.H., Lathrop, A., Murphy, R.W., Orlov, N.L., Thu Cue, H., Cryptic species of a cascade frog from Southeast Asia: Taxonomic revisions and descriptions of six new species (2003) *American Museum Novitates*, 3417, pp. 1-60
- Bain, R.H., Quang Truong, N., Three new species of narrow-mouth frogs (genus: *Microhyla*) from Indochina, with comments on *Microhyla annamensis* and *Microhyla palmipes* (2004) *Copeia*, 2004, pp. 507-524
- Bain, R.H., Stuart, B.L., Orlov, N.L., Three new Indochinese species of cascade frogs (Amphibia: Ranidae) allied to *Rana archotaphus* (2006) *Copeia*, 2006, pp. 43-59
- Batuwita, S., Bahir, M.M., Description of five new species of *Cyrtodactylus* (Reptilia: Gekkonidae) from Sri Lanka (2005) *Raffles Bulletin of Zoology*, 2005 (12), pp. 351-380
- Brown, W.C. & Parker, F. (1973) A new species of *Cyrtodactylus* (Gekkonidae) from New Guinea with key to the species from the island. *Brevioria*, Cambridge Mass., 417, 1-7
- Chan - Ard, T., Grossmann, W., Gumprecht, A., Schulz, K.D., Amphibians and reptiles of peninsular Malaysia and Thailand (1999) *Wuerselen*, pp. 1-240. , Bushmaster Publications
- Darevsky, I.S., Helfenberger, N., Orlov, N., Shah, K., Two new species of the genus *Gonydactylus* (Sauria:Gekkonidae) from eastern Nepal (1997) *Russian Journal of Herpetology*, 4, pp. 89-93
- Darevsky, I.S., Orlov, N.L., New species of limb-reduced lygosomine skink genus *Leptoseps* Greer, 1997 (Sauria, Scincidae) from Vietnam (2005) *Russian Journal of Herpetology*, 12, pp. 65-68
- Das, I., A new species of *Cyrtodactylus* from the Nicobar Islands, India (1997) *Journal of Herpetology*, 31, pp. 375-382. , Athens
- David, P., Teynié, A., Ohler, A., A New Species of *Cyrtodactylus* Gray 1827 (Reptilia: Squamata: Gekkonidae) from Southern Laos (2004) *The Raffles Bulletin of Zoology*, 2004 (52), pp. 621-627
- Dring, J.C.M., Amphibians and reptiles from northern Trengganu, Malaysia, with descriptions of two new geckos: *Cnemaspis* and *Cyrtodactylus*. *Bulletin of British (1979) Museum*, 34 (5), pp. 181-241
- Grismer, L.L., New Species of Bent-Toed Gecko (*Cyrtodactylus* Gray 1827) from Pulau Aur, Johor, West Malaysia (2005) *Journal of Herpetology*, 39, pp. 424-432
- Grismer, L.L., Ming Leong, T., New Species of *Cyrtodactylus* (Squamata: Gekkonidae) from Southern Peninsular Malaysia (2005) *Journal of Herpetology*, 39, pp. 584-591
- Hikida, T., Borneo gekkonid lizards of the genus *Cyrtodactylus* (Lacertilia: Gekkonidae) with descriptions of three new species (1990) *Japanese Journal of Herpetology*, 13 (3), pp. 91-107
- King, W., A new gekkonid lizard of the genus *Cyrtodactylus* from the Philippine Islands (1962) *Fieldiana, Zoology*, 44, pp. 117-120
- Kluge, A.G., *Gekkotan Lizard Taxonomy* (2001) *Hamadryad*, 26, pp. 1-209
- Kraus, F., Allison, A., A new species of *Cyrtodactylus* (Lacertilia: Gekkonidae) from Papua New Guinea (2006) *Zootaxa*, 1247, pp. 59-68
- Ngo Van Tri & Grismer, L. L. (2006) The first record of Cardamom slender-toed gecko - *Cyrtodactylus intermedius* Smith, 1917 in Vietnam. *Proceedings of the 5th Scientific Conference of University of Natural Science, Ho Chi Minh City*, 30 November, 2006, 328
- Orlov, N.L., A new species of the genus *Vibrissaphora* Liu, 1945 (Anura: Megophryidae) from Mount

- Ngoc Linh (Kon Tum province), and analysis of the extent of species overlap in the fauna of amphibians and reptiles of the north-west of Vietnam and central highlands (2005) *Russian Journal of Herpetology*, 12, pp. 17-38
- Orlov, N.L., Ananjeva, N.B., Thu Cue, H., A new cascade frog (Amphibia: Ranidae) from central Vietnam (2006) *Russian Journal of Herpetology*, 13, pp. 155-163
  - Orlov, N.L., Thu Cue, H., Quang Truong, N., A new species of the genus *Philautus* from central Vietnam (Anura: Rhacophoridae) (2004) *Russian Journal of Herpetology*, 11, pp. 51-64
  - Orlov, N.L., Quang Truong, N., Van Sang, N., A new *Acanthosaura* allied to *A. capra* Günther, 1861 (Agamidae, Sauria) from central Vietnam and southern Laos (2006) *Russian Journal of Herpetology*, 13, pp. 61-76
  - Orlov, N.L., Ryabov, S.A., Ngok Thanh, B., Thu Cue, H., A new species of *Trimeresurus* (Ophidia: Viperidae: Crotalinae) from karst region in central Vietnam (2004) *Russian Journal of Herpetology*, 11, pp. 139-149
  - Pauwels, O., Bauer, A., Sumontha, M., Chanhom, L., *Cyrtodactylus thirakhupti* (Squamata: Gekkonidae), a new cave - dwelling gecko from southern Thailand (2004) *Zootaxa*, 772, pp. 1-11
  - Rösler, H., (1995) *Geckos der Welt. Alle Gattungen*, Urania, Leipzig, Jena, Berlin, 256 pp
  - Rösler, H., Ziegler, T., Ngoc Thanh, V., Herrmann, H.-W., Böhme, W., A new lizard of the genus *Gekko* Laurenti, 1768 (Squamata: Sauria: Gekkonidae) from the Phong Nha - Ke Bang National Park, Quang Binh Province, Vietnam (2004) *Bonner Zoologische Beiträge*, 53, pp. 135-148
  - Rooij, de, N., (1915) *The reptiles of the Indo-Australian archipelago. I. Lacertilia, Chelonia, Emydosauria*, Brill, Leiden, 384 pp
  - Schäfer, C. (1991) *Cyrtodactylus papilionoides*. - Amph./Rept. - Kartei, Sauria Supplement, Berlin, 13, 223-224
  - Sharma, R.C. (2002) *Fauna of India and the adjacent country. Reptilia (Sauria) 2. Calcutta Repro Graphics, Kolkata, 430 pp*
  - Smith, M. A. (1973) *The Fauna of British India, Reptile and Amphibia 2 - Sauria*, Reprinted 1973 by Ralph Curtis Books, Florida. 440 pp
  - Stuart, B.L., Bain, R.H., Three new species of spinule-bearing frogs allied to *Rana megatympalum* Bain, Lathrop, Murphy, Orlov and Ho, 2003 from Laos and Vietnam (2005) *Herpetologica*, 61, pp. 478-492
  - Stuart, B.L., Orlov, N.L., Chan-ard, T., A new cascade frog (Amphibia: Ranidae) from Laos and Vietnam (2005) *The Raffles Bulletin of Zoology*, 53, pp. 125-131
  - Taylor, E.H., *New oriental reptiles* (1962) *Kansas University, Scientific Bulletin*, 43, pp. 209-263. , Lawrence
  - Taylor, E.H., *Lizards of Thailand* (1963) *Scientific Bulletin*, 44, pp. 687-1077
  - Taylor, E.H. (1966) *Herpetology of the Philippine islands*. A. Asher & Co, Amsterdam, 269 pp
  - Tillack, F., Ziegler, T., Khac Quyet, L., Eine neue Art der Gattung *Boiga* Fitzinger, 1826 (Serpentes: Colubridae: Colubrinae) aus dem zentralen Vietnam (2004) *Sauria*, 26, pp. 3-12
  - Ulber, T., Grossmann, W., Ein weiterer neuer Gecko aus Zentral-Thailand: *Cyrtodactylus papilionoides* sp. nov. (Reptilia: Sauria: Gekkonidae) (1991) *Sauria*, 13, pp. 13-22
  - Ulber, T., Bemerkungen über cyrtodactyline Geckos aus Thailand nebst Beschreibungen von zwei neuen Arten (Reptilia: Gekkonidae) (1993) *Mitteilungen, aus dem Zoologischen Museum in Berlin*, 69 (2), pp. 187-200
  - Vu Ngoc Thanh, Rösler, H. & T. Ziegler (in press) On the occurrence of the four-striped bent-toed gecko, *Cyrtodactylus quadrivirgatus* Taylor, 1962, in Vietnam. *Hamadryad*, Tamil Nadu
  - Wells, R.W. & Wellington, C. R. (1985) A classification of Amphibian and Reptilia of Australia, *Australian Journal of Herpetology, Supplementary Series*, (1), 1-61
  - Wermuth, H., (1965) *Liste der rezenten Amphibien und Reptilien, Gekkonidae, Pygopodidae, Xantusiidae*, 80, pp. 1-12. , *Das Tierreich*, Berlin, 1-246
  - Youmans, T.M., Grismer, L.L., A new species of *Cyrtodactylus* (Reptilia: Squamata: Gekkonidae) from the Seribu Archipelago, West Malaysia (2006) *Herpetological Natural History*, 10, pp. 61-70
  - Ziegler, T., Herrmann, H.-W., David, P., Orlov, N., Pauwels, O.S.G., *Triceratolepidophis sieversorum*, a new genus and species

- of pitviper (Reptilia: Serpentes: Viperidae: Crotalinae) from Vietnam (2000) *Russian Journal of Herpetology*, 7, pp. 199-214. , Moscow
- Ziegler, T., Herrmann, H.-W., Ngoc Thanh, V., Khac Quyet, L., Tan Hiep, N., Xuan Chinh, C., Minh Thanh, L., Huy Tri, D., The amphibians and reptiles of the Phong Nha - Ke Bang National Park, Quang Binh Province, Vietnam (2004) *Hamadryad*, 28, pp. 19-42
  - Ziegler, T., Khac Quyet, L., A new species of reed snake, *Calamaria* (Squamata: Colubridae), from the central Truong Son (Annamite mountain range), Vietnam (2005) *Zootaxa*, 1042, pp. 27-38
  - Ziegler, T., Khac Quyet, L., A new natricine snake of the genus *Amphiesma* (Squamata: Colubridae: Natricinae) from the central Truong Son, Vietnam (2006) *Zootaxa*, 1225, pp. 39-56
  - Ziegler, T., Ohler, A., Ngoc Thanh, V., Khac Quyet, L., Xuan Thuan, N., Huy Tri, D., Ngoc Thanh, B., Review of the amphibian and reptile diversity of Phong Nha - Ke Bang National Park and adjacent areas, central Truong Son, Vietnam (2005) *Programme and Abstracts, 13th Ordinary General Meeting, Societas Europaea Herpetologica (SEH)*, pp. 120-121. , 27 September-2 October, Bonn, Germany
  - Ziegler, T., Rösler, H., Herrmann, H.-W., Ngoc Thanh, V., *Cyrtodactylus phongnhakebangensis* sp. n., ein neuer Bogenfingergecko aus dem annamitischen Karstwaldmassiv, Vietnam (2002) *Herpetofauna*, Weinstadt, 24, pp. 11-25
  - Ziegler, T., Ngoc Thanh, V., Ngoc Thanh, B., A new water skink of the genus *Tropidophorus* from the Phong Nha - Ke Bang National Park, central Vietnam (Squamata: Sauria: Scincidae) (2005) *Salamandra*, 41, pp. 137-146
  - Ziegler, T., Ngoc Thanh, V., Khac Quyet, L., Quang Truong, N., Hallermann, J., Vu Khoi, L., Mai Hoang, T., Neue Verbreitungsnachweise einiger wenig bekannter vietnamesischer Amphibien und Reptilien (2006) *Sauria*, 28, pp. 29-40

A new karst dwelling *Cyrtodactylus* (Squamata: Gekkonidae) from Son La Province, northwestern Vietnam. *Hamadryad* 35: 84–95. <https://doi.org/10.11646/zootaxa.3835.1.4>. Ngo T.V. & Grismer L.L. 2012. A new species of *Cyrtodactylus* Gray, 1827 (Squamata: Gekkonidae) in Phu Quoc National Park, Kien Giang Biosphere Reserve, Southwestern Vietnam. *Zootaxa* 2604 (1): 37–51. <https://doi.org/10.11646/zootaxa.2604.1.3>. Ngo H.T., Le M.D., Pham N.D., Nguyen V.T.H., Pham C.T. & Nguyen T.Q. 2017. A second species of the previously monotypic snake genus *Fimbrios* is described from the Truong Son Mountain Range, Vietnam. *Fimbrios smithi* sp. n. is included in this genus on the basis of the combination of the following characters: rostral, mental and first three to four labials with raised, erected edges; a horizontal ridge of tissues above the rostral; a very large loreal. *Fimbrios smithi* sp. n. is the seventh snake species that has been described as new from the Phong Nha–Ke Bang National Park, Quang Binh Province, central Vietnam, in the last decade; it is the forty-fourth colubrid snake species known from that region, which now comprises 60 snake species in general. This dataset contains the digitized treatments in Plazi based on the original journal article Heidrich, Astrid, R  sler, Herbert, Thanh, Vu Ngoc, B  hme, Wolfgang, Ziegler, Thomas (2007): Another new *Cyrtodactylus* (Squamata: Gekkonidae) from Phong Nha - Ke Bang National Park, central Truong Son, Vietnam. *Zootaxa* 1445: 35-48, DOI: 10.5281/zenodo.176112. Taxonomic Coverages. Geographic Coverages. Bibliographic Citations. Contacts. Astrid Heidrich originator.